

Contact - Krishna Kumar
9886829797

Form - IV
(See rule13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr. RADHESH S.
	(ii) Name of HCF or CBMWTF	:	CELARA DIAGNOSTICS PVT LTD
	(iii) Address for Correspondence	:	OLD No: 38/B, NENo: 24 SOUTH END ROAD, YEDIYUR, BANGALORE
	(iv) Address of Facility	:	SAME AS ABOVE
	(v) Tel. No, Fax. No	:	080-46677111
	(vi) E-mail ID	:	REACHUS@MYCELARA.COM
	(vii) URL of Website	:	WWW.MYCELARA.COM
	(viii) GPS coordinates of HCF or CBMWTF	:	12.936465 N 77.576203 E
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) <input checked="" type="checkbox"/>
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation KSPCB/RO: B.C. No.: SOUTH/BMW/EO/DEO/2019-18/949 8.9.2017...valid up to ... N.A.
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: N.A.
2.	Type of Health Care Facility	:	PATHOLOGY LAB
	(i) Bedded Hospital	:	No. of Beds:..... N A
	(ii) Non-bedded hospital	:	N A

	Laborator (Clinic or Blood Bank or Clinical y or Research Institute or Veterinary Hospital or any other)		CLINICAL LABORATORY
	(iii) License number and its date of expiry		
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day NA
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day NA
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 785 Red Category : 646 White: 97 Blue Category : 772 General Solid waste: NA
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : NA Capacity : NA Provision of on-site storage : (cold storage or any other provision)

disposal facilities		<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td>NA</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td>-</td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td></td> <td>-</td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer			NA	Sharps encapsulation or concrete pit			-	Deep burial pits:				Chemical disinfection:			-	Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																															
Incinerators																																																		
Plasma Pyrolysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or destroyer			NA																																															
Sharps encapsulation or concrete pit			-																																															
Deep burial pits:																																																		
Chemical disinfection:			-																																															
Any other treatment equipment:																																																		
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) NA																																																
(iv) No of vehicles used for collection and transportation of biomedical waste	:	NA																																																
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<table border="1"> <thead> <tr> <th></th> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td>Incineration Ash</td> <td></td> <td></td> </tr> <tr> <td>ETP Sludge</td> <td>NA</td> <td></td> </tr> </tbody> </table>		Quantity generated	Where disposed	Incineration Ash			ETP Sludge	NA																																								
	Quantity generated	Where disposed																																																
Incineration Ash																																																		
ETP Sludge	NA																																																	
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		MARIDE ECO INDUSTRIES PVT. LTD.																																																
(vii) List of member HCF not handed over bio-medical waste.		NA																																																
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period																																																		
7 Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management.																																																		

	(ii) number of personnel trained		
	(iii) number of personnel trained at the time of induction		
	(iv) number of personnel not undergone any training so far		
	(v) whether standard manual for training is available?		
	(vi) any other information)		
8	Details of the accident occurred during the year		NA
	(i) Number of Accidents occurred		NA
	(ii) Number of the persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

JAN 2023 TO DEC 2023

Date: 7/06/2024
Place: BANGALORE

Name and Signature of the Head of the Institution

For CELARA DIAGNOSTICS PRIVATE LIMITED

Rudheer

Authorized Signatory



MARIDI

BIO INDUSTRIES PVT. LTD

(Bio Medical Waste Management & Handling Services)

CIN : U90001TG2011PTC072453

CERTIFICATE OF TREATMENT

Date: 06.06.2024

To,
CELARA DIAGNOSTICS PVT LTD,
Old No38/B, New No 24, South End Road,
Yediyur, Bengaluru-560004

Dear Sir/Madam,

This is to inform you that we have collected following quantity of Bio medical waste from your Center and the same has been treated and disposed as per K.S.P.C.B guidelines.


Average waste collected from your Center for the month of Jan-2023 to Dec-2023.

Sno	Month	Yellow	Red	Blue	White	Cytotoxic	Covid	Total
		Quantity in kg						
1	Jan-23	68.40	66.20	55.00	0.50	0.00	0.00	190.10
2	Feb-23	51.20	45.00	63.00	4.30	0.00	0.00	163.50
3	Mar-23	35.70	38.40	25.80	1.20	0.00	0.00	101.10
4	Apr-23	42.10	37.90	43.60	4.10	0.00	0.00	127.70
5	May-23	63.80	53.10	71.60	4.60	0.00	0.00	193.10
6	Jun-23	86.50	70.80	79.90	10.40	0.00	0.00	247.60
7	Jul-23	90.90	73.10	69.80	17.00	0.00	0.00	250.80
8	Aug-23	73.10	52.80	71.80	13.50	0.00	0.00	211.20
9	Sep-23	59.30	49.90	82.50	6.00	0.00	0.00	197.70
10	Oct-23	68.40	54.20	82.20	14.00	0.00	0.00	218.80
11	Nov-23	60.60	38.10	61.40	9.60	0.00	0.00	169.70
12	Dec-23	85.75	66.52	65.60	11.80	0.00	0.00	229.67
Total		785.75	646.02	772.2	97.00	Nil	Nil	2300.97

This for your information


Prepared by


Verified by


Authorised by

Regional Office : No. : 8, **Sunaga Arcade**, 4th Floor, 1st Main, 8th Cross, Sampangiramanagar, Bangalore - 560 027.

Ph. : +91-80-4151 2958, Fax : +91-80-2210-3270.

E-mail : maridibmw@maridibio.com website : www.maridibio.com

Plant : Sy. No : 1/37 & 1/38, 35th Milestone, Harohalli Hobli, Gabbadi Kaval, Kanakapura Road, Ramanagar Dist.

ಈ ದಸ್ತಾವೇಜು ಪಾಕಿಯನ್ನು ಸಂಸ್ಥೆಯ ಅಧಿಕಾರಿಗಳಿಂದ
ಸಂಖ್ಯೆ 4(D)ರ ಪ್ರಕಾರ ಮುದ್ರಿಸಲಾಗಿದೆ.

ದಸ್ತಾವೇಜು ಪಾಕಿ
Document Sheet

ಕರ್ನಾಟಕ ಸ್ಟೇಟ್ ಕೋ-ಆಪರೇಟಿವ್ ಸೊಸೈಟೀಸ್
ಅಸೋಸಿಯೇಷನ್ (ರಿ)



Karnataka State Co-Operative
Societies Association (R)

ಈ ಪಾಕಿಯನ್ನು ಯಾವುದೇ ದಸ್ತಾವೇಜಿಗೆ ಬಳಸಬಹುದು
This sheet can be used for any document

ಬೆಲೆ : ರೂ. 5/-
(GST EXTRA)

MEMORANDUM OF UNDERSTANDING

Reg.No: 4770

M/s. **Maridi Bio Industries Pvt Ltd.**, having its registered office at No .8, SUNAGA ARCADE, 4th Floor, 1st Main, 8th Cross, S.R.nagar, Bangalore-560027, Phone No: 080-41512958/22103270, Email id: maridibmw@maridibio.com and having Its Plant at Sy.No.1/37 & 1/38, 35th Milestone, Gabbadi Kaval, Kanakapura Road, Ramanagar District, here in after referred to as, M/s. **Maridi Bio Industries Pvt Ltd.** represented by its Authorized Signatory and M/s **CELARA DIAGNOSTICS PVT LTD** having its Centre at Old No38/B, New No 24, South End Road, Yedyur, Bengaluru-560004, MOB : 8073066740., Email: nagaraj@mycelara.com. Here in after referred to as M/s **CELARA DIAGNOSTICS PVT LTD** is hereby agreed and come to the Memorandum of Understanding on this 31st Day of May month year 2023 as detailed below:

- M/s. **Maridi Bio Industries Pvt Ltd.** with consent from Karnataka State Pollution Control Board is having a common treatment facility for Managing Bio-Medical Waste in Ramanagaram district at 36th Mile Stone, Kanakapura Road. The facility is having a state of art Autoclave system along with the shredder and Incinerator.
- M/s **CELARA DIAGNOSTICS PVT LTD** gives its bio-medical waste properly packed in color-coded bags as per pollution control Board regulations for treatment and final disposal to M/s. **Maridi Bio Industries Pvt Ltd.** The waste should be given at one single point by the M/s **CELARA DIAGNOSTICS PVT LTD** at given time of M/s. **Maridi Bio Industries Pvt Ltd.** Vehicle.



- c. M/s. **Maridi Bio Industries Pvt Ltd.** will charge a price of Rs.8064/- Per Month (Rupees eight thousand sixty four only); (Up to 80 kgs per month, if it exceeds Rs.65/- per Kg will be charged extra),(GST Extra as applicable) (Excluding Poly bags) transportation, treatment and final disposal of biomedical waste. This Price will be fixed for a period of one (1) year from date of this agreement and thereafter there will be 12% (Twelve Percent) escalations in the price for every one-year on existing rate.
- d. M/s **CELARA DIAGNOSTICS PVT LTD** will not enter into any agreement with any other party or organization for the waste treatment and disposal unless cancel of this agreement.
- e. M/s **CELARA DIAGNOSTICS PVT LTD** is assuring that payment should be made through Account Payee cheque In favour of M/s. **Maridi Bio Industries Pvt Ltd.** on or before 5th of every month.
- f. M/s. **Maridi Bio Industries Pvt Ltd.** is not responsible for any cash payments and also we will collect cheque bounce charges.
- g. In case of non-receipt of payment on the agreed date from M/s **CELARA DIAGNOSTICS PVT LTD** M/s. **Maridi Bio Industries Pvt Ltd.**, will stop the collection of waste immediately with intimation to Karnataka State Pollution Control Board. The delayed payments will be collected with an interest of 18% per annum.
- h. M/s. **Maridi Bio Industries Pvt Ltd.** will collect bio medical Waste twice in a week(Except Sunday) and treat the waste as per the regulations. M/s. **Maridi Bio Industries Pvt Ltd.** will not collect any General waste that is not segregated or not properly packed M/s. **Maridi Bio Industries Pvt Ltd.** will not collect general garbage.
- i. M/s. **Maridi Bio Industries Pvt Ltd.** will issue a proof of waste collection from M/s **CELARA DIAGNOSTICS PVT LTD** as per your declarations in the application form. This will help the individual Clinic for getting compliance with the State Pollution Board. The individual Clinic/Nursing home can take their Authorization from the pollution control board by informing the board that M/s **Maridi Bio Industries Pvt Ltd.** treats their waste (The same has to be mentioned in the Authorization Form.
- j. In case **CELARA DIAGNOSTICS PVT LTD** find any irregularities in collection of waste, they can send a notice in writing to M/s. **Maridi Bio Industries Pvt Ltd.** for immediate action.
- k. M/s **Maridi Bio Industries Pvt Ltd.** will maintain their plant in good running condition all the time and ensure continuity of service as per agreement with your **CELARA DIAGNOSTICS PVT LTD** .



- l. This Memorandum of understanding is entered into on the express understanding that M/s **Maridi Bio Industries Pvt Ltd.** will maintain and run the facilities and collect transport and treat the waste at their plant strictly in accordance with the consent of the Karnataka State Pollution Control Board and it shall be the responsibility to obtain the consent and keep the same always current.
- m. In case of violation of any of the agreed condition of the MOU by either side, Issue of notice may terminate this MOU three months in advance by either party for terminating their respective obligations.
- n. All disputes to this understanding are subject to the Jurisdiction of the court in Bangalore only.
- o. MOU Renewal Charges of Rs.200(GST 18% Extra).
- p. *This Agreement is effective from 01.06.2023 TO 31.05.2024.*

For M/s. Maridi Bio Industries Pvt Ltd

For M/s **CELARA DIAGNOSTICS
PVT LTD**



Authorized Signatory



Authorized Signatory



CELARA DIAGNOSTICS PVT
LTD-YEDIYUR
4770



Maridi Bio Industries Pvt Ltd

No.8, Sunaga Arcade, 4th Floor 1st Main, 8th Cross,
Sampangram Nagar Maridi-Blr 560027

080-41512958
maridibmw@maridibio.com



CELARA DIAGNOSTICS PVT
LTD-YEDIYUR
4770




Maridi Bio Industries Pvt Ltd

No.8, Sunaga Arcade, 4th Floor 1st Main, 8th Cross,
Sampangram Nagar Maridi-Blr 560027

080-41512958
maridibmw@maridibio.com



CELARA DIAGNOSTICS PVT
LTD-YEDIYUR
4770



Maridi Bio Industries Pvt Ltd

No.8, Sunaga Arcade, 4th Floor 1st Main, 8th Cross,
Sampangram Nagar Maridi-Blr 560027

080-41512958
maridibmw@maridibio.com



CELARA DIAGNOSTICS PVT
LTD-YEDIYUR
4770



Maridi Bio Industries Pvt Ltd

No.8, Sunaga Arcade, 4th Floor 1st Main, 8th Cross,
Sampangram Nagar Maridi-Blr 560027

080-41512958
maridibmw@maridibio.com